

Neulife Surgi Plast

Keep Always Breathing



Neulife[®]

Oxygen Therapy Products

Nebulizer Therapy Products

Anesthesia Breathing System

Breathing Filters

Spirometers

Resuscitator Bags

ABOUT US

NEULIFE SURGI PLAST is a complete solution provider of Respiratory System for new and existing players in the market of Respiratory Care. **NEULIFE SURGI PLAST** has a high level of knowledge and experience in development and manufacturing of Oxygen Therapy Products, Nebulizer Therapy Products, Anesthesia Breathing System, Breathing Filters, Spirometers and Resuscitator Bags.

NEULIFE SURGI PLAST makes it a priority to understand customer needs. It is our mission to ensure we supply Respiratory Products that not only work as intended but at a superior level in comparison to market alternatives.

Experience:

NEULIFE SURGI PLAST is an initiative of experienced Respiratory System Manufacturer, who came from a market leader in respiratory Products. **NEULIFE SURGI PLAST** was founded in 2016. The team has a very broad experience in the Manufacturing of Respiratory System in the area of:

- Oxygen Therapy Products
- Nebulizer Therapy Products
- Anesthesia Breathing System
- Breathing Filters
- Spirometers
- Resuscitator Bags

Our Mission:

- To produce and provide market leading Respiratory System.
- To provide impeccable support and product.
- Management services to all clients in the medical professional field.

QUALITY POLICY

NEULIFE SURGI PLAST provide world class products to a range of customers in the medical fields. We aim to meet and exceed our customers' expectations in a proactive and professional manner, we are also maintaining the highest quality standards for client's satisfactions. To achieve this vision, we aim to

- Establish and maintain a quality management system in accordance with ISO9001:2015
- Set objectives and measurable targets so that quality performance can be measured and continually improved
- Provide adequate resources to achieve the objectives and targets of our quality system
- Encourage participation and promotion of quality culture in our employees through training, education, coaching and effective communication
- Comply with all relevant laws and regulations, as well as internal requirements
- Maintain a policy that is appropriate to the context of the organization and supports its strategic direction
- Maintain the effectiveness of the management system

This policy is communicated and available to all staff and interested parties upon request. It is reviewed and revised yearly as part of the planned **NEULIFE SURGI PLAST** management meeting, or as necessary.

NEBULIZER MASK / ADULT / PEDIATRIC



- Clear Soft Mask Made for patient comfort and visual assessment
- Adjustable Nose Clip assures comfortable fit
- Elastic Head strap for Patient Adjustment
- Nebulizer connector for secure fitment to nebulizer
- Mask made from non-toxic medical grade PVC.

NL7007



NEBULIZER MASK KIT-ADULT

- Soft clear nebulizer mask provided with wide adjustable strap for proper positioning on the nasal area.
- It is widely used by asthma patients for the easy and effective treatment.
- Consistent performance in both Upright and Sleeping position.
- Mask made from non-toxic medical grade PVC.

NL7008



NEBULIZER MASK KIT-PEDIATRIC

- Optimal particle size delivered at efficient Nebulization rate.
- Crush resistant 2 metre Oxygen Tubing with Star Lumen for unconstructive flow.
- 'cc' marking for medicine measurement.

NL7013 NEBULIZER T-PC KIT



- Specially Designed For Nebulizing The Patient Orally.
- For Delivery of Medication Through "T" And Mouth Piece.
- Consistent Performance in both Upright and Sleeping Position.
- It Decreases Treatment Time and Is Easy To Maintain.
- Optimal Particle Size Delivered At Efficient Nebulization Rate.
- Crush Resistant 2 Mtr Oxygen Tubing With Star Lumen For Unconstructive Flow.
- 'CC' Marking For Medicine Measurement.

NL7014



NEBULIZER MASK KIT WITH T-PCS-ADULT

- Soft clear nebulizer mask provided with wide adjustable strap for proper positioning on the nasal area.
- For delivery of medication through T-Piece which should be placed between the V-piece of the breathing system and Tracheal tube/Catheter mount.
- Consistent Performance in both Vertical and Sleeping Position.
- Mask made from non-toxic medical grade PVC.
- Optimal Particle Size Delivered At Efficient Nebulization Rate.

NL7015



NEBULIZER MASK KIT WITH T-PCS-PEDIATRIC

- Crush Resistant 2 metre Oxygen Tubing with Star Lumen for Unconstructive Flow.
- 'CC' Marking For Medicine Measurement

OXYGEN THERAPY PRODUCTS



NL7000



OXYGEN TUBING 2.0 METER

Oxygen Tubing – 2 mtrs.

- Crush resistant with Star Lumen for unconstructive flow.
- Clear and Transparent.
- Made from non-toxic medical grade PVC.

NL7001



NASAL CANNULA SET- ADULT

NL7003



NASAL CANNULA SET- PEDIATRIC

NL7004



NASAL CANNULA SET- NEONATAL

- The system of attachment provides maximum freedom to the patient and leaves the patient's mouth free for nutritional and communication purposes.
- Made from soft, light weight non-toxic material, thus non-irritating even in long term use.
- Twin bore Fixator for easy fixation.
- Suitable for easy application and efficient administration of oxygen for greater comfort of the patient.
- Crush Resistant 2 mtr Oxygen tubing with star Lumen for unobstructive flow

NL7005



**OXYGEN MASK SET
ADULT**

NL7006



**OXYGEN MASK SET
PEDIATRIC**

- Designed for convenient oxygen therapy to the patients or critical care.
- Provided with adjustable elastic strap for proper positioning of mask on the nasal area.
- Mask made from non-toxic medical grade PVC.
- Soft mask designed in such a way that it fits comfortably over patient's face.
- Crush resistant 2 mtr Oxygen Tubing with Star Lumen for unobstructive flow.

NL7009



**VENTURI MASK KIT
ADULT (MULTI FLOW)**

NL7010



**VENTURI MASK KIT
PEDIATRIC**

- It is good for patients who require controlled oxygen therapy, especially in the case of patients with asthma and COPD.
- Allows accurate administration of variety of oxygen concentration levels.
- There are 7 different connectors with different colour coding with marking: 24%,28%,31%,35%, 40%,50%,and 60%.
- Mask made from non-toxic medical grade PVC.
- Crush resistant 2 mtr Oxygen Tubing with Star Lumen for unobstructive flow.

NL7011



**HIGH CONCENTRATION
MASK SET - ADULT(NRBM)**

NL7012



**HIGH CONCENTRATION
MASK SET - PEDIATRIC(NRBM)**

- It is used to deliver 100% oxygen to patients.
- The reservoir bag allows for adequate oxygen to be available to meet the unpredicted patient's breathing pattern and tidal volume.
- Non-return valves provided at inhale and exhale points prevent carbon-dioxide retention.
- Light weight reservoir improves the oxygen efficiency.
- Mask made from non-toxic medical grade PVC.
- Crush resistant 2 mtr Oxygen Tubing with Star Lumen for unconstructive flow.

OXYGEN THERAPY PRODUCTS



NL7016



NL7017



VENTURI MASK WITH SINGLE DILUTER KIT

- It is good for patient who requires controlled Oxygen therapy, especially for asthmatics and COPD patients.
- There are two Oxygen Diluters, one (White) for 24%, 26%, 28% and 30%; while the other (Green) is for 35%, 40% or 50%.
- The appropriate percentage of Oxygen can be selected by setting the indicator of the diluter.
- Mask made from non-toxic medical grade PVC.
- Crush Resistant 2 mt. Oxygen tubing with star Lumen for unobstructive flow.

NL8030



T-OXYGEN RECOVERY

NL8031



T-OXYGEN RECOVERY KIT

NL8032



VENTURI T-OXYGEN RECOVERY KIT(40%,60%)

- "T" piece designed for use in recovery for the delivery of oxygen.
- Connects to 15 mm ET tube connector/ laryngeal mask.
- It helps patient weaning from ventilator.
- The kit comprises T-Piece with port, 22mm-15cm reservoir flex tube and Oxygen Stem with Cap.
- For long term Tracheotomy patient with oxygen requirement this device works well.
- Crush resistant 2 mtr Oxygen Tubing with Star Lumen

CRITICAL CARE AND ANESTHESIA BREATHING SYSTEM



NL7050

ANESTHESIA CIRCUIT WITH RE-BREATHING SYSTEMS



- 22 mm corrugated, flexible and lightweight tubing made of high quality plastic.
- Special Clip feature to eliminate disconnection.
- Circuits provides a better airflow and are cost effective.
- Standard connectors for secure fitment with high performance.
- 22 mm male/ 22 mm male – 15 mm female parallel "Y" connector and fixed elbow.
- 2 Litre Reservoir Bag and Extra limb.

NL7051

PLAIN VENTILATOR CIRCUIT - ADULT



- Ventilator Circuit is the gas pathway connecting patient's lung to the mechanical ventilator.
- 22 mm corrugated, flexible and lightweight tubing made of high quality plastic.
- Special Clip feature to eliminate disconnection.
- Circuits provides a better airflow and are cost effective.
- Standard connectors for secure fitment with high performance.
- 22 mm male/ 22 mm male – 15 mm female parallel "Y" connector with port and fixed elbow.
- Transparent for easy monitoring of water build-up or blockages.

NL7053



**SWT VENTILATOR
CIRCUIT-ADULT**

NL7054



**DWT VENTILATOR
CIRCUIT-ADULT**

- Ventilator Circuit is the gas pathway connecting patient's lung to the mechanical ventilator.
- 22 mm corrugated, flexible and lightweight tubing made of high quality plastic.
- Offers excellent drainage to maximize moisture collection.
- Special Clip feature to eliminate disconnection.
- Water Trap/s, with 22 mm male – 22 mm male connector.
- Circuits provides a better airflow and are cost effective.
- Standard connectors for secure fitment with high performance.
- 22 mm male/ 22 mm male – 15 mm female parallel "Y" connector with port and fixed elbow.
- Transparent for easy monitoring of water build-up or blockages.

NL7061



**PLAIN COLLAPSIBLE
CIRCUIT-ADULT**

NL7062



**PORT COLLAPSIBLE
CIRCUIT-ADULT**

- Ventilator Circuit is the gas pathway connecting patient's lung to the mechanical ventilator.
- 22 mm corrugated, flexible and lightweight tubing made of high quality plastic.
- Expandable upto -1.6 mtrs
- Special Clip feature to eliminate disconnection.
- Circuits provides a better airflow and are cost effective.
- 22 mm male/ 22 mm male – 15 mm female parallel "Y" connector with port and fixed elbow.
- Transparent for easy monitoring of water build-up or blockages.

NL7063



**PLAIN VENTILATOR CIRCUIT
- PEDIATRIC**

NL7064



**SWT VENTILATOR CIRCUIT
- PEDIATRIC**

NL7065



**DWT VENTILATOR CIRCUIT
- PEDIATRIC**

- Ventilator Circuit is the gas pathway connecting patient's lung to the mechanical ventilator.
- 15 mm corrugated, flexible and lightweight tubing made of high quality plastic.
- Special Clip feature to eliminate disconnection.
- Circuits provides a better airflow and are cost effective.
- Standard connectors for secure fitment with high performance.
- Transparent for easy monitoring of water build-up or blockages.
- It provide fixed elbow with leur cap.
- Transparent for easy monitoring of water build-up or blockages.

NL7071



PLAIN VENTILATOR CIRCUIT KIT-ADULT

- Ventilator Circuit is the gas pathway connecting patient's lung to the mechanical ventilator.
- 22 mm corrugated, flexible and lightweight tubing made of high quality plastic.
- Special Clip feature to eliminate disconnection.
- Circuits provides a better airflow and are cost effective.
- Standard connectors for secure fitment with high performance.
- 22 mm male/ 22 mm male – 15 mm female parallel "Y" connector with port and fixed elbow.
- Transparent for easy monitoring of water build-up or blockages.
- Provided with heat moisture exchanger Bacterial/ Viral filter with luer port.
- Provided Double swivel catheter mount Standard.

NL7072



**PLAIN VENTILATOR
CIRCUIT KIT-PEDIATRIC**

- ventilator Circuit is the gas pathway connecting patient's lung to the mechanical ventilator.
- 15 mm corrugated, flexible and lightweight tubing made of high quality plastic.
- Special Clip feature to eliminate disconnection.
- Circuits provides a better airflow and are cost effective.
- Standard connectors for secure fitment with high performance.
- Transparent for easy monitoring of water build-up or blockages.
- Provided with heat moisture exchanger Bacterial / Viral filter with luer port.
- Provided double swivel catheter mount expandable.

NL7073



**SWT VENTILATOR
CIRCUIT KIT- ADULT**

- Ventilator Circuit is the gas pathway connecting patient's lung to the mechanical ventilator.
- 22 mm corrugated, flexible and lightweight tubing made of high quality plastic.
- Offers excellent drainage to maximize moisture collection.
- Special Clip feature to eliminate disconnection.
- Water Trap/s, with 22 mm male – 22 mm male connector.
- Circuits provides a better airflow and are cost effective.
- Standard connectors for secure fitment with high performance.
- 22 mm male/ 22 mm male – 15 mm female parallel "Y" connector with port and fixed elbow.
- Transparent for easy monitoring of water build-up or blockages.
- Provided with heat moisture exchanger Bacterial / Viral filter with luer port.
- Provided Double swivel catheter mount standard.

NL7075



**DWT VENTILATOR
CIRCUIT KIT- ADULT**

- Ventilator Circuit is the gas pathway connecting patient's lung to the mechanical ventilator.
- 15 mm corrugated, flexible and lightweight tubing made of high quality plastic.
- Offers excellent drainage to maximize moisture collection.
- Special Clip feature to eliminate disconnection.
- Water Trap/s, with 22 mm male – 22 mm male connector.
- Circuits provides a better airflow and are cost effective.
- Standard connectors for secure fitment with high performance.
- 22 mm male/ 22 mm male – 15 mm female parallel "Y" connector with port and fixed elbow.
- Transparent for easy monitoring of water build-up or blockages.
- Provided with heat moisture exchanger Bacterial / Viral filter with luer port.
- Provided Double swivel catheter mount standard.

NL7074



**SWT VENTILATOR
CIRCUIT KIT
- PEDIATRIC**

- Ventilator Circuit is the gas pathway connecting patient's lung to the mechanical ventilator.
- 15 mm corrugated, flexible and lightweight tubing made of high quality plastic.
- Offers excellent drainage to maximize moisture collection.
- Special Clip feature to eliminate disconnection.
- Water Trap/s, with 22 mm male – 22 mm male connector.
- Circuits provides a better airflow and are cost effective.
- Standard connectors for secure fitment with high performance.
- Transparent for easy monitoring of water build-up or blockages.
- Provided with heat moisture exchanger Bacterial / Viral filter with luer port.
- Provided double swivel catheter mount expandable.
- It provide fixed elbow with leur cap.

NL7076



**DWT VENTILATOR
CIRCUIT KIT
- PEDIATRIC**

- Ventilator Circuit is the gas pathway connecting patient's lung to the mechanical ventilator.
- 15 mm corrugated, flexible and lightweight tubing made of high quality plastic.
- Offers excellent drainage to maximize moisture collection.
- Special Clip feature to eliminate disconnection.
- Water Trap/s, with 22 mm male – 22 mm male connector.
- Circuits provides a better airflow and are cost effective.
- Standard connectors for secure fitment with high performance.
- Transparent for easy monitoring of water build-up or blockages.
- Provided with heat moisture exchanger Bacterial / Viral filter with luer port.
- Provided double swivel catheter mount expandable.
- It provide fixed elbow with leur cap.

NL8008



YANKAUER SUCTION SET PLAIN TIP

- Yankauer are used for the appreciation of fluid or debris.
- 2.5 mtr long ribbed suction tube that is provided with flexible connector at both ends to enable connection to controlled suctioning apparatus.
- Smooth and clean outer surface.
- Designed for single use
- Enables quick and effective removal of secretions.
- Flexible PVC easily expands to fit most barbed connectors.
- Available in Natural/blue-tinted transparent and shatterproof material.

NL8010



BAINS CIRCUIT WITH HEINDBRINK VALVE

- 22 mm corrugated, flexible and lightweight tubing made of high quality plastic.
- The process includes patient inspiring fresh gas from the outer reservoir and expiring into reservoir tube.
- It is based on Mapleson "D" system, provided with a corrugated tube, expiratory valve and antistatic bag.
- 2 litres antistatic rebreathing bag.
- Compact and inexpensive with low dead-space.
- 22M/15F-15M Fixed Elbow and 3 meter extra length Oxygen tubing.

NL8011



JACKSON REES CIRCUITS

- The Jackson-Rees circuit is commonly used in paediatric general anesthesia due to its low resistance and minimal dead space.
- Provided Randel Baker face mask and fixed elbow with leur cap.
- Patient inhales fresh gas from the machine.
- It is based on Mapleson "F" system.
- Ideal for spontaneous breathing or manually ventilated infants.
- Reservoir bag allows anesthesiologists to observe ventilation rates during spontaneous breathing.

NL8020



GUEDEL AIRWAYS (OROPHARYNGEAL AIRWAYS)

- Guedel Airways prevent the tongue from obstructing the airway, while the integrated bite block protects from occlusion.
- Allows for easy insertion and minimizes the risk of causing patient trauma.
- Provides access for the insertion of suction catheters.
- Easy identification of size even if the user is unfamiliar with color coding.
- Stepless airway path for easy cleaning.
- Flexible to ensure dental protection.

Length	Size	Colour Code
4cm	000	Pink
5cm	00	Blue
6cm	0	Black
7cm	1	White
8cm	2	Green
9cm	3	Yellow
10cm	4	Red
11cm	5	Orange

NL8035



CATHETER MOUNT STANDARD

- Catheter Mount connects patient ET to breathing circuit.
- Corrugated tube made up of medical grade PE offers durability, flexibility and strength.
- Double swivel elbow with 15 mm I.D. / 22 mm O.D. connector fits all standard tracheal tubes.
- 22 mm standard female connector is compatible with all breathing and ventilator circuits.
- This minimizes the jerk of breathing to ET or TT reducing trauma to trachea.
- It is low dead space and light weight.
- 0.5 litre antistatic rebreathing bag with bag bleed valve.

NL8036



CATHETER MOUNT EXPANDABLE

- Catheter Mount connects patient ET to breathing circuit.
- It has a collapsible tube which provides better flexibility and superior comfort.
- Less dead space provides easy handling, light-weight and thus, efficient oxygen therapy to the patients.
- Double swivel elbow with 15 mm I.D. / 22 mm O.D. connector fits all standard tracheal tubes.
- 22 mm standard female connector is compatible with all breathing and ventilator circuits.

NL9020



AIR CUSHION MASK (ANESTHESIA MASK)

- The reusable silicone anaesthesia face masks are fully autoclavable.
- Extruded moulded rim for maximum patient comfort and tight seal, with the transparent face piece for patient monitoring.
- Suitable for use in Respiratory Care Anaesthesia & Resuscitator.
- 22mm and 15mm connectors ensure compatibility with all standard catheter mounts and breathing systems.
- Air Filled Cushion To Provide Safety And Comfortable Use.
- Colour coded hooks indicate mask size.

NL9024



BIPAP FULL FACE MASK

- It makes it easier for patients who breathe through the mouth while sleeping to comply with therapy and get a good night's rest.
- It has been designed to provide the comfort, seal and support patients need to maintain therapy compliance.
- This Lightweight, durable design delivers more comfort and a better seal to help fit 100% on patients.
- It sits lower on the nose eliminating pressure on the nose bridge.
- Colour coded hooks indicate mask size.

NL9025



RE-BREATHING BAG

BREATHING FILTERS PRODUCTS

NL8040



HEAT AND MOISTURE EXCHANGING FILTERS (HMEF)

- Medical filters are used in respiratory support equipment, such as life support and human ventilation machine.
- Provided with high efficiency electrostatic filters to address concerns associated with ventilated patients.
- It designed according to "ISO" standards to help facilitate standard connections to different breathing systems.
- 99.999% Bacterial Viral efficiency.
- High heat & humidity level.
- Single Patient use
- Clear Housing and CO2 Monitoring level.

NI8041



BACTERIAL VIRAL (BV) FILTERS

- Medical filters are used in respiratory support equipment, such as life support and human ventilation machine.
- Provided with high efficiency electrostatic filters to address concerns associated with ventilated patients.
- It designed according to "ISO" standards to help facilitate standard connections to different breathing systems
- 99.999% Bacterial Viral efficiency.
- High heat & humidity level.
- Single Patient use
- Low Flow Resistance

NI8042



HEAT AND MOISTURE EXCHANGERS (HME)

- Medical filters are used in respiratory support equipment, such as life support and human ventilation machine.
- This filter is passive humidification systems that retain heat and moisture from the patient's exhaled gas.
- It designed according to "ISO" standards to help facilitate standard connections to different breathing systems
- High heat & humidity level.
- Single Patient use
- Clear Housing and CO2 Monitoring level.

RESPIRATORY EXERCISER



NL8001



3 BALL SPIROMETER

- Specially designed with 3 stage chambers to provide for efficient exercise to patient on a step up basis.
- Helps patient to recover the normal respiration after a chestor abdominal surgery.
- Device comprises of base plate with central part containing volume designated three chambers with colored spheres.
- Three Chamber design allows the patient to lift the balls without any resistance to achieve the maximum volume in minimum time.
- Innovative design, can be dismantled into parts for cleaning and disinfection.
- Encourages deep and prolonged Inspiration.

NL8002



INCENTIVE SPIROMETER

- Spirometer encourages deep and prolonged inspiration.
- The small-size design proves economical in maintenance and storage costs.
- Helps patient to recover the normal respiration after a chestor abdominal surgery.
- Encourages deep and prolonged Inspiration.
- "It helps to develop, improve and maintain Respiratory fitness."

RESUSCITATOR BAGS PRODUCTS



• NL9021-RESUSCITATOR BAG-ADULT



• NL9022-RESUSCITATOR BAG-PEDIATRIC



• NL9023-RESUSCITATOR BAG-INFANT



- It consists of a silicone manual resuscitator, star lumen crush resistant oxygen tubing, reservoir bag, pressure limiting valve and silicone mask.
- Pressure limiting valve ensures crucial adjustments for enhanced performance.
- Capacity of resuscitator is Adult-1600ml, Pedia-500ml, Infant-250ml.
- It is made of silicone rubber and polycarbonate which can be autoclavable upto 360 degree C and come with other finish properties including resistant to aging, non-toxic and non-allergic finish.
- Re-usable resuscitator kit along with all the components.

• MOUTH-PC



• PORT ELBOW



• T-PC



• PLAIN TIP HANDLE



• OXYGEN MASK CONNECTOR



• OXYGEN MASK-ADULT & PEDIATRIC



• YANKAUER SUCTION TUBING



• NEBULIZER CHAMBER



• NEBULIZER MASK CONNECTOR



• NEBULIZER MASK-ADULT&PEDIATRIC



• RE-BREATHING BAG



• Ventury Connector





Neulife Surgi Plast

Keep Always Breathing

📍 61, Grand Vishala Ind. Estate, Nr. Karnavati Ind. Estate, S.P. Ring Road, Odhav, Ahmedabad. (INDIA)

✉ info@neulifesurgioplast.com | 🌐 www.neulifesurgioplast.com

☎ +91-7575838284
☎ +91-8511623366

